

AMENDED

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office. SEP 1 1972
 Returned to applicant for correction. NOV 3 1972
 Corrected application filed. DEC 20 1972
 Map filed. DEC 20 1972

The applicant. Harley J. and Theresa C. Pinney
 of 47 Clear Creek Avenue, County of Carson City,
 State of Nevada 89701, hereby make application for permission to appropriate the public
 waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
 tion; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is underground
Name of stream, lake or other source.
2. The amount of water applied for is 2 c.f.s. second-feet
One second-foot equals 448.83 gals. per min.
 (a) If stored in reservoir give number of acre-feet acre-feet
3. The water to be used for Mobile Home Park (Quasi-Municipal and Domestic)
Irrigation, power, mining, manufacturing, domestic, or other use.
4. If use is for:
 - (a) Irrigation (state number of acres to be irrigated)
 - (b) Stockwater (state number and kinds of animals to be watered)
 - (c) Other use (describe fully under "No. 12. Remarks")
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point: SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 31, T.15N.,
R.20E., M.D.B.&M., or at a point from which the Southeast corner of
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
said Section 31 bears S. 22°10' E. a distance of 1115 feet.
it should be stated.
6. Place of use. SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 31, T. 15N., R.20E., M.D.B.&M.
Describe by legal subdivision, if on unsurveyed land it should be so stated.
7. Use will begin about January 1 and end about December 31, of each year.
Month Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans
 and specifications of your diversion or storage works.) well, pressure tank, pipe lines
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works \$15,000 in addition to existing
10. Estimated time required to construct works 5 years
11. Estimated time required to complete the application to beneficial use 6 years
12. Remarks 33 units now in Clear Creek Mobile Home Park, 11 overnight spaces under construction, 30 units planned for future; laundry, restrooms, owners office and living quarters.

Applicant Harley J. and Theresa C. Pinney

By s/ Ernest E. Muller, Sr.
Ernest E. Muller, Sr., SWRS 273
750 W. Pueblo St.
Reno, Nevada 89502

Compared lk/bs ga/cm

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The total combined diversion under this Permit and Permit 26944 shall not exceed 7.629 million gallons per annum from one and/or both sources.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.5 cubic feet per second. the total combined diversion under this Permit and Permit 26944 shall not exceed 7.629 million gallons per annum from one and/or both sources.

Actual construction work shall begin on or before May 27, 1973

Proof of commencement of work shall be filed before June 27, 1973

Work must be prosecuted with reasonable diligence and be completed on or before May 27, 1973

Proof of completion of work shall be filed before June 27, 1973

Application of water to beneficial use shall be made on or before May 27, 1976

Proof of the application of water to beneficial use shall be filed on or before June 27, 1976

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed JUL 10 1973

Completion of work filed JUL 10 1973

Proof of beneficial use filed MAR 03 1974

Cultural map filed

Certificate No. 9423 Issued 7/9/80

Recorded Bk. Page

County Recorder

IN TESTIMONY WHEREOF, I ROLAND D. WESTERGARD
State Engineer of Nevada, have hereunto set my hand and the seal of
my office, this 27th day of March

A.D. 19 73

Roland D. Westergard
State Engineer